

Performance Report for: https://www.bigcommerce.com/

Report generated: Thu, May 23, 2019 10:05 PM -0500
 Test Server Region: Vancouver, Canada
 Using: Chrome (Android, Galaxy Nexus) 62.0.3202.84,
 PageSpeed 1.15-gt1.2, YSlow 3.1.8

PageSpeed Score F(25%) ▾	YSlow Score F(47%) ▾	Fully Loaded Time 56.0s ▾	Total Page Size 9.19MB ▾	Requests 334 ▾
------------------------------------	--------------------------------	-------------------------------------	------------------------------------	--------------------------

Top 5 Priority Issues

Minimize redirects	<input type="text" value="F (0)"/>	▾ AVG SCORE: 90%	CONTENT	HIGH
Serve scaled images	<input type="text" value="F (0)"/>	▾ AVG SCORE: 71%	IMAGES	HIGH
Leverage browser caching	<input type="text" value="F (0)"/>	▾ AVG SCORE: 61%	SERVER	HIGH
Defer parsing of JavaScript	<input type="text" value="F (0)"/>	▾ AVG SCORE: 72%	JS	HIGH
Avoid bad requests	<input type="text" value="F (32)"/>	▾ AVG SCORE: 98%	CONTENT	HIGH

How does this affect me?

Studies show that users leave a site if it hasn't loaded in 4 seconds; keep your users happy and engaged by providing a fast performing website.

As if you didn't need more incentive, **Google has announced that they are using page speed in their ranking algorithm.**

About GTmetrix

We can help you develop a faster, more efficient, and all-around improved website experience for your users. We use Google PageSpeed and Yahoo! YSlow to grade your site's performance and provide actionable recommendations to fix these issues.

About the Developer



GTmetrix is developed by the good folks at **GT.net**, a Vancouver-based performance hosting company with over 23 years experience in web technology.

<https://gt.net/>

What do these grades mean?

This report is an analysis of your site with Google and Yahoo!'s metrics for how to best develop a site for optimized speed. The **grades you see represent** how well the scanned URL adheres to those rules.

Lower grades (C or lower) mean that the page can stand to be faster using better practices and optimizing your settings.

What's in this report?


This report covers basic to technical analyses on your page. It is categorized under many headings:

- **Executive:** Overall score information and Priority Issues
- **History:** Graphed history of past performance
- **Waterfall:** Graph of your site's loading timeline
- **Technical:** In-depth PageSpeed & YSlow information


These will provide you with a snapshot of your performance.

History


Page load times



Page sizes and request counts




PageSpeed and YSlow scores





Waterfall Chart

The waterfall chart displays the loading behaviour of your site in your selected browser. It can be used to discover simple issues such as 404's or more complex issues such as external resources blocking page rendering.


The Future of Commerce Is Yours | BigCommerce







out?advertisable...	302	d.adroll.c...	656 B	2.11s
0?ti=5010802&V...	204	bat.bing.c...	172 B	227ms
img?mop_seq=0...	200	pixel.math..	448 B	543.7ms
sync?uid=OTNjMW.	302	pixel.adve..	0	458.5ms
v1?nwid=100010...	302	ads.yaho...	735 B	130.7ms
rum?cm_dsp_id=.	302	dsum-sec...	1 KB	613.9ms
tap.php?v=19453..	200	pixel.rubic..	1 KB	189ms
cb?partnerId=goo	200	pixel-geo...	399 B	179ms
sd?cc=1&id=537...	200	us-u.open...	247 B	106.4ms
pixel?user_id=OT..	200	sync.outb..	452 B	658.6ms
tap.php?cookie_r...	200	pixel.rubic..	1008 B	287.5ms
cb?partnerId=mr..	200	pixel.prfc...	399 B	770.8ms
img?mm_bnc&bc...	200	pixel.math..	457 B	475.3ms
Pug?vcode=bz0y...	200	simage2.p...	817 B	964.6ms
cb?partnerId=ya...	200	pixel.prfc...	399 B	824ms
rtb-h?taboola_hm.	204	trc.taboo...	257 B	608.1ms
sync?uid=OTNjMW.	204	pixel.adve..	0	132.5ms
xuid?mid=4714&...	302	eb2.3lift.c...	0	731.1ms
tr?id=263416967..	200	facebook...	136 B	65ms
rum?cm_dsp_id=.	200	dsum-sec...	897 B	193.1ms
sync?dsp_id=44&..	302	x.bidswitc...	694 B	491.3ms
setuid?entity=17..	200	ib.adnxs....	990 B	457.1ms
pixel?google_nid...	302	cm.g.dou...	330 B	164.5ms
tap.php?v=4222&.	200	pixel.rubic..	1 KB	174.8ms
377928.gif?partn...	307	idsync.rlc...	0	541.6ms
sd?id=537103138..	200	us-u.open...	247 B	141.8ms
img?mt_exid=4&..	302	sync.math..	556 B	425.5ms
xuid?id=1&mid=...	200	eb2.3lift.c...	317 B	191.4ms
sync?dsp_id=44&..	200	x.bidswitc...	544 B	131.8ms
pixel?google_sc&..	302	cm.g.dou...	246 B	120.3ms
in?google_ula=15..	200	d.adroll.c...	510 B	118.1ms
pixel?google_nid...	200	cm.g.dou...	228 B	111.5ms
1000.gif?memo=...	307	idsync.rlc...	0	71ms
sync?pid=5324&...	307	pippio.com	0	394.7ms
pixel?google_nid...	302	cm.g.dou...	454 B	88.8ms
ddp?pid=2&m=C...	307	pippio.com	0	91.8ms
racs?ns=lr&uid3=	303	tags.rd.lin...	111 B	501.6ms
img?mm_bnc&bc...	200	pixel.math..	466 B	181.9ms
458249.gif?partn...	200	idsync.rlc...	281 B	138ms
getuid?https://sy..	302	ib.adnxs....	896 B	100.6ms
Pug?vcode=bz0y...	200	simage2.p...	853 B	265.7ms
rum?cm_dsp_id=.	200	dsum-sec...	948 B	283.7ms
sd?id=536872786..	200	us-u.open...	247 B	467.5ms
vendormm.gif?us...	200	idsync.res...	380 B	1.79s
4448?id=c36e5ce..	200	stags.blue...	676 B	1.77s
sync?dsp_id=80&..	302	x.bidswitc...	357 B	281.3ms
img?mt_exid=10...	200	mediamat...	600 B	1.71s
img?mop_seq=1...	200	pixel.math..	593 B	298ms
pixel?google_nid...	302	cm.g.dou...	306 B	470.1ms
receive?partner_...	302	pixel.tapa...	0	1.66s
load?p=204&g=1...	302	loadm.exe...	0	1.71s
dsps?userId=c36...	302	px.power...	716 B	2.29s
media_math_syn...	200	x.dlx.add...	211 B	2.26s
sync?uid=c36e5c...	204	pixel.adve..	0	497.6ms
info?sType=sync...	302	uipus.sem...	625 B	2.07s
match?publisher_...	302	ad.360yie...	642 B	2.28s
cs?dspid=tone&u...	200	cs.gssprt...	543 B	2.66s
img?mop_seq=2...	200	pixel.math..	747 B	2.08s
image.sbx?go=2...	302	global.ib-i...	714 B	2.64s






Page Load Timings

RUM Speed Index: 6,393

Redirect 0ms	Connect 389ms	Backend 268ms	TTFB 0.7s
First paint 5.8s	Contentful paint 5.8s	DOM int. 12.1s	DOM loaded 12.1s (4.1s)
Onload 41.3s (2.0s)			

Redirect duration



This is the time spent redirecting URLs before the final HTML page is loaded. Common redirects include:


- Redirect from a non-www to www (eg. example.com to www.example.com)
- Redirect to a secure URL (eg. http:// to https://)
- Redirect to set cookies
- Redirect to a mobile version of the site

Some sites may even perform a chain of multiple redirects (eg. non-www to www, then to a secure URL). This timing is the total of all this time that's spent redirecting, or 0 if no redirects occurred.

In the Waterfall Chart, Redirect duration consists of the time from the beginning of the test until just before we start the request of the final HTML page (when we receive the first 200 OK response).

During this time, the browser screen is blank! Ensure that this duration is kept to short by [minimizing your redirects](#).

Connection duration




Once any redirects have completed, Connection duration is measured. This is the time spent connecting to the server to make the request to the page.

Technically speaking, this duration is a combination of the blocked time, DNS time, connect time and sending time of the request (rather than *just* connect time). We've combined those components into a single Connection duration to simplify things (as most of these times are usually small).

In the Waterfall Chart, Connection duration consists of everything up to and including the "Sending" time in the final HTML page request (the first 200 OK response).

During this time, the browser screen is still blank! Various causes could contribute to this, including a slow/problematic connection between the test server and site or slow response times from the site.

Backend duration




Once the connection is complete and the request is made, the server needs to generate a response for the page. The time it takes to generate the response is known as the Backend duration.

In the Waterfall Chart, Backend duration consists of purple waiting time in the page request.

There are a number of reasons why Backend duration could be slow. We cover this in our ["Why is my page slow"](#) article.

Time to First Byte (TTFB)




Time to First Byte (TTFB) is the total amount of time spent to receive the first byte of the response once it has been requested. It is the sum of "Redirect duration" + "Connection duration" + "Backend duration". This metric is one of the key indicators of web performance.

In the Waterfall Chart, it is calculated at the start of the test until just before receiving on the page request and represented by the orange line.

Some ways to improve the TTFB include: optimizing application code, implementing caching, fine-tuning your web server configuration, or upgrading server hardware.

First paint time



First paint time is the first point at which the browser does any sort of rendering on the page. Depending on the structure of the page, this first paint could just be displaying the background colour (including white), or it could be a majority of the page being rendered.


In the Waterfall Chart, it is represented by the green line.

This timing is of significance because until this point, the browser will have only shown a blank page and this change gives the user an indication that the page is loading. However, we don't know how much of the page was rendered with this paint, so having an early first paint doesn't necessarily

indicate a fast loading page.

If the browser does not perform a paint (ie. the html results in an blank page), then the paint timings may be missing.

First contentful paint time




First Contentful Paint is triggered when any *content* is painted - i.e. something defined in the DOM (Document Object Model). This could be text, an image or canvas render.

This timing aims to be more representative of your user's experience, as it flags when actual content has been loaded in the page, and not just any change - but it may often be the same time as First Paint.

Because the focus is on content, the idea is that this metric gives you an idea of when your user receives consumable information (text, visuals, etc) - much more useful for performance assessment than when a background has changed or a style has been applied.

If the browser does not perform a paint (ie. the html results in an blank page), then the paint timings may be missing.


DOM interactive time



DOM interactive time is the point at which the browser has finished loading and parsing HTML, and the DOM (Document Object Model) has been built. The DOM is how the browser internally structures the HTML so that it can render it.

DOM interactive time isn't marked in the Waterfall Chart as it's usually very close in timing to DOM content loaded.

DOM content loaded time



DOM content loaded time (DOM loaded or DOM ready for short) is the point at which the DOM is ready (ie. DOM interactive) and there are no stylesheets blocking JavaScript execution.


If there are no stylesheets blocking JavaScript execution and there is no parser blocking JavaScript, then this will be the same as DOM interactive time.

In the Waterfall Chart, it is represented by the blue line.

The time in brackets is the time spent executing JavaScript triggered by the DOM content loaded event. Many JavaScript frameworks use this event as a starting point to begin execution of their code.

Since this event is often used by JavaScript as the starting point and delays in this event mean delays in rendering, it's important to make sure that [style and script order is optimized](#) and that [parsing of JavaScript is deferred](#).

Onload time



Onload time occurs when the processing of the page is complete and all the resources on the page (images, CSS, etc.) have finished downloading. This is also the same time that DOM complete occurs and the JavaScript window.onload event fires.

Note that there may be JavaScript that initiates subsequent requests for more resources, hence the reason why Fully loaded timing is preferred.

In the Waterfall Chart, it is represented by the red line.

The time in brackets is the time spent executing JavaScript triggered by the Onload event.

Note that Onload time was the previous default for when to stop the test prior to February 8th, 2017.

PageSpeed Recommendations

RECOMMENDATION	GRADE	RELATIVE	TYPE	PRIORITY
Minimize redirects	F (0)	▼ AVG SCORE: 90%	CONTENT	HIGH
Serve scaled images	F (0)	▼ AVG SCORE: 71%	IMAGES	HIGH
Leverage browser caching	F (0)	▼ AVG SCORE: 61%	SERVER	HIGH
Defer parsing of JavaScript	F (0)	▼ AVG SCORE: 72%	JS	HIGH
Avoid bad requests	F (32)	▼ AVG SCORE: 98%	CONTENT	HIGH
Specify a cache validator	D (66)	▼ AVG SCORE: 94%	SERVER	HIGH
Enable gzip compression	C (72)	▼ AVG SCORE: 87%	SERVER	HIGH
Minimize request size	C (73)	▼ AVG SCORE: 96%	CONTENT	HIGH
Serve resources from a consistent URL	C (75)	▼ AVG SCORE: 89%	CONTENT	HIGH
Avoid CSS @import	B (83)	▼ AVG SCORE: 98%	CSS	MEDIUM
Optimize images	B (85)	▲ AVG SCORE: 70%	IMAGES	HIGH
Specify image dimensions	A (90)	▼ AVG SCORE: 98%	IMAGES	MEDIUM
Optimize the order of styles and scripts	A (92)	◆ AVG SCORE: 95%	CSS/JS	HIGH
Minify JavaScript	A (92)	◆ AVG SCORE: 89%	JS	HIGH
Minify HTML	A (99)	◆ AVG SCORE: 98%	CONTENT	LOW
Minify CSS	A (99)	◆ AVG SCORE: 96%	CSS	HIGH
Specify a character set early	A (99)	◆ AVG SCORE: 100%	CONTENT	MEDIUM
Specify a Vary: Accept-Encoding header	B (88)	▼ AVG SCORE: 95%	SERVER	LOW
Avoid landing page redirects	A (100)	◆ AVG SCORE: 98%	SERVER	HIGH
Enable Keep-Alive	A (100)	◆ AVG SCORE: 96%	SERVER	HIGH
Inline small CSS	A (100)	◆ AVG SCORE: 96%	CSS	HIGH
Inline small JavaScript	A (100)	◆ AVG SCORE: 95%	JS	HIGH
Put CSS in the document head	A (100)	◆ AVG SCORE: 100%	CSS	HIGH
Combine images using CSS sprites	A (100)	▲ AVG SCORE: 92%	IMAGES	HIGH
Prefer asynchronous resources	A (100)	◆ AVG SCORE: 100%	JS	MEDIUM
Avoid a character set in the meta tag	A (100)	◆ AVG SCORE: 100%	CONTENT	LOW
Avoid Plugins (deprecated)	A (100)	◆ AVG SCORE: 100%	CONTENT	LOW

YSlow Recommendations

RECOMMENDATION	GRADE	RELATIVE	TYPE	PRIORITY
Add Expires headers	F (0)	▼ AVG SCORE: 27%	SERVER	HIGH
Make fewer HTTP requests	F (0)	▼ AVG SCORE: 31%	CONTENT	HIGH
Use a Content Delivery Network (CDN)	F (0)	▼ AVG SCORE: 23%	SERVER	MEDIUM
Avoid URL redirects	F (0)	▼ AVG SCORE: 89%	CONTENT	MEDIUM
Use cookie-free domains	F (0)	▼ AVG SCORE: 55%	COOKIE	LOW
Reduce DNS lookups	F (0)	▼ AVG SCORE: 71%	CONTENT	LOW
Minify JavaScript and CSS	F (30)	▼ AVG SCORE: 71%	CSS/JS	MEDIUM
Compress components with gzip	D (67)	▼ AVG SCORE: 88%	SERVER	HIGH
Avoid HTTP 404 (Not Found) error	C (70)	▼ AVG SCORE: 98%	CONTENT	MEDIUM
Configure entity tags (ETags)	B (89)	◆ AVG SCORE: 94%	SERVER	LOW
Make AJAX cacheable	A (100)	◆ AVG SCORE: 100%	JS	MEDIUM
Remove duplicate JavaScript and CSS	A (100)	◆ AVG SCORE: 100%	CSS/JS	MEDIUM
Avoid AlphasImageLoader filter	A (100)	◆ AVG SCORE: 99%	CSS	MEDIUM
Reduce the number of DOM elements	A (100)	▲ AVG SCORE: 92%	CONTENT	LOW
Use GET for AJAX requests	A (100)	◆ AVG SCORE: 100%	JS	LOW
Avoid CSS expressions	A (100)	◆ AVG SCORE: 99%	CSS	LOW
Reduce cookie size	A (100)	◆ AVG SCORE: 100%	COOKIE	LOW
Make favicon small and cacheable	A (100)	◆ AVG SCORE: 100%	IMAGES	LOW
Make JavaScript and CSS external	(n/a)		CSS/JS	MEDIUM